M.R.O. 1—77,006—8-6-37.

(1) Number of pages

(2) Date of repair

(3) Initials of the Referencer

MADRAS RECORD OFFICE.

Government of Madras.

Public works DEPARTMENT.

G.O. No. 2538 Press / Mis.

77-78

Dated 6-10- 1871.

Not to be folded or roughly handled

Proceedings of the Madras Government, Public Works Department, 6th October 1871.

No. 77. Read the following letter from the General Superintendent of Public Works Stores and Workshops, to the Secretary to Government, Public Works Department, dated Chepauk, 15th September 1871, No. 472 :—

I HAVE the honour to forward, for consideration and orders of Government, the accompanying letter and estimate received from the Superintending Engineer, 8th Division, for stores required from England for the year 1872-73 for use in his division.

1 Letter, No. 2,140, dated 11th September 1871.
1 Estimate.

2. The general estimate for Public Works stores required from England for the ensuing official year having been submitted to Government with my letter No. 381, dated 16th August last, this estimate, since received, has not been included in it.

3. It will be observed that the stores are required for an extraordinary work, and the Officer in charge of the Perryaur Project states that, should Government sanction the carrying out of the scheme as proposed, the machinery, etc., will be required in 1872-73. In the estimate accompanying I have marked with red ink the articles which could be supplied from the stock in hand, the other articles could be obtained from England on indent which will be forwarded in December next.

From the Superintending Engineer, 8th Division, to the General Superintendent of Public Works Stores and Workshops, dated Madura, 11th September 1871, No. 2,140.

I HAVE the honour to forward the estimate of stores likely to be indented for from England during the official year 1872-73, with reference to your Circulars, Nos. II. and III., dated 7th June and 10th July 1871.

2. I take the opportunity of mentioning that I hold myself in no way responsible for the formidable list of stores stated by the Officer in charge of the Perryaur Project to be required in 1872-73, as the project is being worked irrespective of this office.

3. As however the list of all the stores required for the division has to be presented in one return, and as there are no stores required for this division irrespective of those needed for the Perryaur Project, it thus happens that I have to go through the form of countersigning and submitting for sanction a list for the necessity of which I am not, in truth, in any way answerable.

No. 78. ORDER THEREON, 6th October 1871, No. 2,538.

CIVIL WORKS, No. 9.

THE estimate of stores required for the Perryaur Project will be referred to the Officiating Chief Engineer for Irrigation for consideration, and in the event of that project being hereafter sanctioned, such stores as may be urgently required will be specially indented for under paragraph 17, Section II., Chapter XVII., of the Code of the Government of India.

(True Extract.)

Captain, R.E.,
Offg. Joint Secretary to Government.

To Chief Engineer for Irrigation, with Estimate.
,, Superintending Engineer, 8th Division.
,, General Superintendent of Public Works Stores and Workshops.

Exd. S. T. Augustin.

No. 2140 Superintg. Engrs. Office 8th Dn.
Madura 11th September 1871.

From

Lieutt. Col. R. A. Roberts, R.E.
Superintg. Engineer 8th Dn.

To

V. N. Grainger Esqre.
General Superintendent
P.W. Stores & Workshops

Sir,

I have the honor to forward the Estimate of Stores likely to be indented for from England during the Official year 1872-73 with reference to your circulars Nos. II & III dated 7th June & 10th July 1871.

Enclo 1

2. I take the opportunity of mentioning that I hold myself in no way responsible for the formidable list of stores stated by the Officer in charge of the Perryaur project to be required in 1872-73, as the project is being worked irrespective of this Office.

3.

3. As however the list of all the stores required for the Division has to be presented in one Return, & as there no stores required for this Division irrespective of those needed for the Perryaur Project, it thus happens that I have to go through the form of countersigning & submitting for sanction a list, for the necessity of which I am not, in truth, in any way answerable.

I have the honor to be
Sir,
Your most Obedient Servt.

Ricd. S. Roberts Lieut. Col. R.E.
Superintending Engineer
8th Division

Compd. PS

Acd/
13-9-71

No. 2140

From

The Supg Engineer
8th Division

To

The General Supdt.
of P.W. Stores and
Workshops

Dated 11th } September 1871
Recd 14th }

Enclo. 1

P.W. No. 4447/71

Forwards an Estimate
of Stores likely to
be indented for from
England during the
official year 1872-73

No. 2110

From

The Supdg Engineer

3rd Division

To

The Secretary [illegible]

of the [illegible]

[illegible]

Dated 2nd September 1839

Recd 11th

Encl 1

P.W. Dept [illegible]

Submits an Estimate

of [illegible] to

[illegible] for [illegible]

England [illegible] the

official year 1838-39

30 1

4

Public Works Store Department
No. 472 Chepauk 15th September 1871.

From
The General Superintendent
Public Works Stores and Workshops.
Chepauk.

To
The Secretary to Government.
Public Works Department
Fort Saint George.

Sir,

I have the honor to forward for consideration and Orders of Government the accompanying letter and Estimate received from the Superintending Engineer 8th Division for stores required from England for the year 1872/73 for use in his Division.

The general Estimate for P.W. Stores required from England for the ensuing Official year having been submitted to Government with my letter No. 381 dated 16th August last, this Estimate since received has not been included in it.

It will be observed that the Stores are required for an Extraordinary work, and the Officer in charge of the Periyaur project states that should Government sanction the carrying out of the Scheme as proposed, the Machinery &ca. will be required in 1872/73. In the Estimate accompanying I have

marked

marked with red-ink the articles which could be supplied from the Stock in hand. The other articles could be obtained from England on Indent which will be forwarded in December next.

I have the honor to be

Sir

Your most Obed.t Servant

J. Sanger

General Supt. P.W. Stores and Workshops

Pub: Works 1871 Depart[t]

Pro: of Gov[t]: for October

No 4447

From

The General Superintendent

Public Works Stores and Workshops

Chepauk

To

The Secretary to Government

Public Works Dep[t].

Fort St. George

Dated 15 } September 1871.
Recd 19 }

No 472.

1-E-Recd

Enclosures 2 two

Forwards for consideration and Orders of Gov[t]. letter and Estimate received from the Sup[t]. Engineer 8th Division for stores required from England for the year 1872/73 not included in the Estimate forwarded to Gov[t]. on the 16th August last.

No 2538 - 6 October 71

No 77

G. Orders 20 Sept 71 D. 295

No. 2538.

The estimate of Stores required for the Periyar project will be referred to the Officiating Chief Engineer for Irrigation for consideration, and in the event of that project being hereafter sanctioned, such Stores as may be urgently required will be specially indented for under Para 17. Section II Chapter XVII of the Code of the Government of India.

To
Ch Engr for Irrigation ~~with~~ Estimate
Sec & Ind
Genl Dept of PW Stores   Despd 7/10/71.

[illegible] 27 Sep.

Soon

C- No-4447-

Govt. of {1871} Madras.

PUBLIC WORKS.

To The Chief Engineer for Irrigation

Dated

Recd. Encl.

G. O. 6 October 1871 No. 2538.

Nos. 77 & 78

Stores for the Periyaur project Madura. Estimate submitted by the General Supt. of Stores ~~referred to the Chief Engr~~ for Irrigation.